



**SIGMA**

SHEETMETAL PRODUCTS LTD

WHOLESALE  
PRODUCT  
CATALOGUE

**Eden**



**triumph**

FLUES & ACCESSORIES  
APRIL 2008



# Sheetmetal Products Ltd.

PRICE LIST/CATALOGUE EFFECTIVE 2008

## INDEX

<b>Flues and Accessories:</b>	Freestanding .....	1
	Inbuilt .....	2
	Components .....	3-8
	Accessories.....	9

Phone: 0-9-636 3657

Fax: 0-9-636 3658

Email: [sales@sigmasheet.co.nz](mailto:sales@sigmasheet.co.nz)

Web: [www.sigmasheet.co.nz](http://www.sigmasheet.co.nz)

PO Box: 13-013, Auckland

Factory: 24 Princes St, Onehunga, Auckland,  
New Zealand



# FLUE KITS – FREE STANDING

KITSETS – Including all the components illustrated below. See other pages for additional and alternative items. All parts (except heat shield and baffle) are stainless steel.	SIZE mm	W/SALE PRICE excl. GST	PART No.		
	Sizes refer to interior diameter of flue pipe.				
		<b>Kitset 1</b> With 3 stainless steel flue pipes. Specify which size you require.	100 108 115 125 130 150 175 200	30100 30120 30140 30160 30180 30200 30210 30220	
		<b>Kitset 1B</b> Includes heat reflector.	100 108 115 125 130 150 175 200	30240 30260 30280 30300 30320 30340 30350 30360	
		<b>Kitset 2</b> Two vitreous enamel flues. Specify colour required.	Coffee 150 Matt Brown 150 Gloss Black 150 Matt Black 150 Grey 150 Green 150	30380 30400 30420 30440 30460 30450	
		<b>Kitset 2B</b> Includes heat reflector.	Coffee 150 Matt Brown 150 Gloss Black 150 Matt Black 150 Grey 150 Green 150	30480 30500 30520 30540 30560 30550	
		<b>Kitset 3</b> High temperature matt black painted stainless steel.	125 150 175	30690 30692 30695	
		<b>Kitset 3B</b> Includes heat reflector.	125 150 175	30696 30698 30699	
		<b>Kitset 4</b> Ceiling Kit only.	100 108 115 125 130 150	30580 30600 30620 30640 30660 30680	
		<b>Extension Kit</b> Comprises: 1 x stainless steel flue 1 x galvanised baffle 1 x galvanised liner	150 200 250	} 30700	

Advise consumer that sketch above is a guideline only.  
 The local body regulations applicable in your district should be strictly observed.








# INBUILT FLUES

	FLUE dia. mm	W/SALE PRICE excl. GST	PART No.
<p><b>KITSETS</b></p> <p>Designed to fit an already existing brick or concrete chimney. Designed for compatibility with most inbuilt units. Each kit contains the items illustrated, with galvanised options as noted.</p>			
<p><b>Rain Hat (Cowl)</b></p> <p><b>Flashing Cone</b></p> <p><b>4 x 1200mm Flue pipes</b></p> <p><b>Centralising Bracket</b></p> <p><b>600 x 250mm Outer Heat Shield (galvanised option)</b> Can be done without if the height is not needed.</p> <p><b>Chimney Plate (stainless steel) screwed permanently to chimney top.</b></p> <p><b>EXISTING CHIMNEY</b></p> <p><b>1200mm Flue pipe (set of 4)</b> See 'Spare and Additions' pages for the range of adjustable Connectors to correct any misalignment of flue to stove.</p> <p><b>INBUILT WOOD OR COAL HEATER UNIT</b></p>			
<p><b>INBUILT KIT</b></p> <p>With S/S Chimney Plate and Galvanised Heatshield.</p>	115 125 150		30720 30740 30760
<p><b>JETMASTER FLUE KITS</b></p> <p><b>Standard 3.6m Inbuilt</b> includes: 3 x Inner Flues 3 x Outer Flues 1 x Rainhat 1 x Flashing Cone 1 x Top Spacer 1 x Bottom Spacer</p>	200 225 250 300		30780 30782 30784 30786
<p><b>Freestanding 3.6m</b></p>	200		30788
<p><b>Gas Inbuilt 3.6m</b> includes: 3 x Inner Flues 3 x Outer Liners 1 x Cowl 1 x Casing Cover 1 x Top Spacer 1 x Bottom Spacer</p>	200		30790

Advise consumer that sketch above is a guideline only.  
The local body regulations applicable in your district should be strictly observed.







# FLUES - SPARES AND ADDITIONS

	SIZE mm	W/SALE PRICE excl. GST	PART No.
 <p><b>Rainhats</b> Anti downdraught cowls. Stainless steel.</p>	100		30800
	108		30820
	115		30830
	125		30840
	130		30850
	150		30860
	175		30865
	190		30870
	200		30880
	225		30885
250		30890	
 <p><b>Combo Cowl</b> Stainless steel.</p>	150		31100
 <p><b>H-Tops</b> Stainless steel. For severe downdraught conditions.</p>	100		31200
	115		31220
	125		31240
	150		31260
	175		31270
	200		31290
 <p><b>Directional Cowl</b> Stainless steel.</p> <p style="text-align: right;">Directional Cowl</p> <p style="text-align: right;">Directional Chimney Plate</p> <p style="text-align: right;">Directional Spigot</p>	150		31320
	200		31330
	150		31340
	200		31350
	200		31360
	 <p><b>Chinaman's Hats</b> Galvanised steel</p>	100	
125			34940
150			34950
200			34960
250			34970
300			34980

Advise consumer that sketches above are a guideline only.  
The local body regulations applicable in your district should be strictly observed.

# FLUES - SPARES AND ADDITIONS








	SIZE mm	W/SALE PRICE excl. GST	PART No	
	<b>Flashing</b>	Flue dia.		
	<b>Cones</b>			
	Stainless steel			
		100		30900
		108		30920
		115		30930
		125		30940
		130		30950
		150		30960
		175		30965
	190		30970	
	200		30980	
	225		30985	
	250		30990	
	<b>Pot Belly Replacement Cone</b>	Galvanised		
		Stainless steel		
	115		36880	
	115		36882	
	<b>Spacer Brackets</b>	Heavy gauge stainless steel for extra strength.		
	Top Spacer Brackets			
		100		31500
		108		31510
		115		31520
		125		31530
		130		31540
		150		31550
		175		31555
		200		31560
		225		31565
		250		31570
	Bottom Spacer Brackets			
		100		31600
		108		31610
	115		31620	
	125		31630	
	130		31640	
	150		31650	
	175		31655	
	200		31660	
	225		31665	
	250		31670	
Changeover Spacer Brackets:	150 - 350		31700	
Special Spacer Brackets:				
	150 - 200		31730	
	150 - 250		31740	
Stand-Off Brackets:	250		31750	
	<b>Inbuilt Chimney Plate</b>			
	Stainless steel			
	250		31400	
	300		31410	

Advise consumer that sketches above are a guideline only.  
The local body regulations applicable in your district should be strictly observed.





# FLUES - SPARES AND ADDITIONS

	SIZE mm	W/SALE PRICE excl. GST	PART No.
	<b>Ceiling Plates</b> Flue dia.		
	Stainless Steel. Round opening for flat ceilings.	100 108 115 130 150 200	32100 32105 32110 32120 32130 32140
	A variety of ovals to accommodate the flue through sloping ceilings		
	Stainless Steel 150mm 400 x Coffee 150mm 400 x Matt Brown 150mm 400 x Gloss Black 150mm 400 x Matt Black 150mm 400 x Grey 150mm 400 x White 150mm 400 x	400 400 400 400 400 400 400	32300 32301 32302 32303 32304 32305 32306
	Stainless Steel 150mm 450 x 150mm 490 x Oval 30° Oval 45° Oval 45°	450 490 150 150 200	32310 32320 32360 32410 32420
	Spacers and Screws for ceiling plates	Pkt.	32600
	<b>Flue-Top Weather Shields</b>		
	Stainless Steel in a variety of heights to provide extension wherever needed.		
	Height x Flue dia. 600 x 900 x 450 x 600 x 900 x	115 115 150 150 150	33400 33410 33420 33430 33440
	<b>Visor Conversions</b>		
	Two-cone units for adapting older existing installations.		
Galvanised 350 to Stainless Steel 390 to	250 150	33500 33510	
	<b>Mantel Deflectors</b>		
	Stainless Steel 900 x 900 x 900 x	50 75 100	33600 33610 33620

Advise consumer that sketches above are a guideline only.  
The local body regulations applicable in your district should be strictly observed.

# FLUES - SPARES AND ADDITIONS







	SIZE mm	W/SALE PRICE exc. GST	PART No.
<p>In-line through to 90°</p>	<p><b>Galvanised Adjustable Bends</b> Specials constructed to order.</p>		
	100 125 150 200 250 300 350 400		34530 34540 34550 34560 34570 34580 34590 34600
<p>Any combination of directions</p>	<p><b>Stainless Steel Adjustable Bends</b> Specials constructed to order.</p>		
	75 100 108 115 125 133 150 200 250 300		34300 34310 34320 34330 34340 34350 34380 34420 34450 34455
<p>Adjustable</p> <p>Standard      Half Mesh &amp; Reflector      Full Mesh</p> <p>Stove or Heater unit</p>	<p><b>Floor Penetration Units</b> For extension of flue into overhead rooms. Galvanised, complete with flue support brackets, includes floor plate.</p> <p>For 150mm Flue Pipe 200mm Baffle</p> <p>250mm Heat Shield</p> <p>For 200mm Flue Pipe 250mm Baffle</p> <p>300mm Heat Shield</p>		
			33650 33670
<p><b>Heat Reflectors</b></p> <p><b>Standard</b></p> <p><b>Standard Brackets (pairs)</b></p> <p><b>Half Mesh and Reflector</b></p> <p><b>Full Mesh</b></p>	115 150 200 115 150 200 200 250 300 200 250 300		33700 33710 33720 33740 33750 33760 33800 33810 33820 33840 33870 33890
	<p><b>Half Mesh and Reflector/Full Mesh Painted P.O.A.</b></p>		

Advise consumer that sketches above are a guideline only.  
The local body regulations applicable in your district should be strictly observed.


























# FLUES - SPARES AND ADDITIONS

	SIZE mm	W/SALE PRICE excl. GST	PART No.
<p><b>Fixed Offset Elbow Joints</b></p> 			
Stainless Steel 45°	115		34100
45°	125		34110
45°	130		34120
45°	150		34130
45°	200		34140
<p><b>Telescopic Offsets</b></p> 			
Galvanised dia.	200		34220
	250		34225
Stainless Steel dia.	115		34195
	150		34200
	200		34205
<p><b>Combination Fixed Offsets</b></p> 			
150 Stainless Steel – 250 Galvanised			34240
200 Stainless Steel – 300 Galvanised			34250
150 Stainless Steel – 200 Galvanised – 250 Galvanised			34260
<p><b>Tee Pieces</b></p> 			
With cleaning cap Stainless Steel dia.	75		34690
	100		34700
	115		34710
	125		34720
	130		34730
	150		34740
Galvanised dia.	150		34800
	200		34810
	250		34820

Advise consumer that sketches above are a guideline only.  
The local body regulations applicable in your district should be strictly observed.



# FLUES – ACCESSORIES

	W/SALE PRICE exc. GST	PART No.	
		39812	Stove Polish
		39814	Sootloose Sachet
		39816	Glass Cleaner 250ml
		39820	Hot Spot Mortar 1kg
		39822	Stove Putty 1kg
		39823	Stove Putty 8kg
		39824	Metal Cleaner 200ml
		39830	10mm x 1.8m Door Rope
		39831	13mm x 1.8m Door Rope
		39832	15mm x 1.8m Door Rope
		39833	25mm x 1.8m Ladder Back
		39840	142g Maniseal Tube
		39844	Black VHT Spray Paint
		39845	Stovebright Paint Matt
		39850	Black 150mm Flue Brush
		39855	900mm Flue Brush Rod
			
			
			
			
			
			
			

All prices are exclusive of G.S.T.

PROUDLY 100%



NZ OWNED AND OPERATED



Phone: 0-9-636 3657 • Fax: 0-9-636 3658

24 Princes St, Onehunga, Auckland, New Zealand • PO Box 13-013, Auckland  
email: [sigmasheet@xtra.co.nz](mailto:sigmasheet@xtra.co.nz) • web: [www.sigmasheet.co.nz](http://www.sigmasheet.co.nz)